症例報告

長期間三叉神経痛として治療されていた 顔面部 Pain Prone Disorder の 1 症例

佐藤恭道 別部智司 雨宮義弘 鶴見大学歯学部歯科麻酔学教室

要旨:顔面部やその周辺部の痛みを安易に三叉神経痛と診断されている患者は少なくない。今回、長期間三叉神経痛として治療されていた顔面部 Pain Prone Disorder の症例に対して漢方薬を応用し治療したので報告する。症例は 66歳,女性。1995 年右側上顎臼歯部に著しい疼痛が出現したため右側上顎臼歯を抜歯した。その後も同様の疼痛が続いたため本学口腔外科受診。三叉神経痛の診断でカルバマゼピンの投与を受けるも疼痛に殆ど変化は無かった。1996 年 3 月疼痛治療のため当科を受診した。当科では東洋医学的には水毒、寒を伴った虚証で心理学的には Pain Prone Disorder、歯科的には歯牙齲蝕、歯周疾患などの診断で齲蝕処置、口腔清掃指導などを行うと共に抗うつ薬および桂枝加朮附湯を処方し、併せてバリント方式の医療面接を行った。現在、口腔内随所に軽度の持続的疼痛は訴えているものの、著しい疼痛もなく心理的にも安定している。 (痛みと漢方7:53-56,1997) 索引用語:三叉神経痛、鑑別診断、漢方薬、歯科、慢性疼痛性格障害、桂枝加朮附湯

Prologed treatment of a paitient with Pain-Prone Disorder under the misdiagnosis of trigeminal neuralgia

> Yasumichi Sato, et al. Department of Dental Anesthesiology, Tsurumi University School of Dental Medicine

Abstract: Patients complaining of facial pain are often diagnosed as trigeminal neuralgia. A 66-year-old woman was such a case. She had received prolonged treatment for supposed trigeminal neuralgia, but her facial pain became unbearable and was reffered to our clinic. After a further evaluation, the Pain Prone Disorder was diagnosed, and the pain was attributed to oral diseases such as dental caries and periodontitis. The patient was comprehensively treated in our clinic with a combination of Kampo medicine(Keishi-ka-jutsubu-to), dental procedures, and medical care interviews conducted according to the Balint method. Now, pain has removed, and psychosomatic stability has improved. This case suggests that we should comprehensively evaluate the diagnosis and psychosomatic findings of patients.

(Pain and Kampo Medicine 7:53-56, 1997)

Key words: trigeminal neuralgia, differential diagnosis, Kampo medicine, pain prone disorder, Keishi-ka-jutubu-to, dental medicine