原著

舌痛症に対する加味逍遙散の有用性に 関する臨床的検討

永井 格* 安永二良* 小浜源郁*

要旨: 当科を受診した心因性舌痛症患者に対する加味逍遙散の効果について検討した. 対象は、舌痛を愁訴とする虚実中間証および虚証の患者 68 症例で、心理療法と薬物療法 として加味逍遙散を使用し、本剤の有用性について臨床的検討を行った。その結果 71.2% に症状の改善が認められたが、効果の発現までには 2~3ヵ月の服用が必要と思われた。 加味逍遙散は、心因性舌痛症に対し心理療法と併用することにより有効な薬剤であると思 われた.

索引用語:舌痛症、心因性、心理療法、薬物療法、加味逍遙散

PAIN AND KAMPO MEDICINE Vol.11 (2001)

The clinical study of the effect of Kami-shoyo-san on glossodynia

Itaru Nagai*, Jiro Yasunaga* and Gen-iku Kohama*

Abstract: We studied the efficacy of Kami-shoyo-san(TJ-24) on patients with psychogenic glossodynia in our department. The subjects were 68 patients complaining of tongue pain. They were of asthenia-SHO type or intermediate-SHO type, according to diagnosis by Kampo medicine. The effect of Kami-shoyo-san was observed clinically after psychotherapies and medicament therapies had been given. As a result, the symptoms were improved on 71.2%. However, it was necessary to administer this medicine for 2 or 3 months before it takes effect. It was concluded that Kami-shoyo-san was effective for psychogenic glossodynia when it was combined with psychotherapy.

Key words: glossodynia, psychogenic, psychotherapy, medicament therapy, Kami-shoyo-san