## 症例報告

## 当帰四逆加呉茱萸生姜湯が有効であった 慢性疼痛の4症例

青山幸生\* 荒川真之\* 大江容子\*

要旨: 当帰四逆加呉茱萸生姜湯 (TJ-38) が,痛みに対して有効であった4症例を経験した. 4症例ともに元来の冷え症で,冷えにより症状の増悪を認めた. 西洋医学的には症例1は神経症,症例2は腰椎椎間板ヘルニア,症例3は抑うつ状態を伴った慢性関節リウマチと実存心身症,症例4は臀部術後瘢痕部痛と診断された. 4症例の共通点としてともに手術歴を有しており,特に4症例中3症例は腹部の手術歴があり,元来の冷え症で冷えにより症状の増悪を認め,腹部の手術歴のある場合,同方剤は一考すべき処方のひとつと考えられた.

索引用語: 当帰四逆加呉茱萸生姜湯,冷え,痛み,腹部手術

## PAIN AND KAMPO MEDICINE Vol. 12 (2002)

Four cases of pain treated effectively with Toki-shigyaku-Ka-goshuyu-shokyo-to. Yukio Aoyama\*, Masayuki Arakawa\* and Yoko Ohe\*

**Abstract**: Four patients suffering from pain treated effectively with Toki-shinyaku-ka-goshuyu-shokyo-to. Case 1 was diagnosed with neurosis. Case 2 had lumbar disc hernia. case 3 suffered from rheumatoid arthritis with depression and psychosomatic disorder. Case 4 developed post-operative painful hip scar syndrome. All the four patients had undergone surgical operations. Above all, case 4 was diagnosed as serious post-operative scar pain patho-physiologically, and the other three cases hadundergone an upper or lower abdominal operation.

We concluded that Toki-shingyaku-ka-goshuyu-shokyo-to was effective for pain control.

Key words: Toki-shingyaku-ka-goshuyu-shokyo-to, chills, pain, abdominal operation.

<sup>\*</sup> Second Department of Anesthesiology, School of Medicine, Toho University Offprint requests to: Yukio Aoyama, Second Department of Anesthesiology, School of Medicine, Toho University. 2-17-6, Ohashi, Meguro, Tokyo 153-8515, Japan