## 症例報告

## 漢方による片頭痛の治験―呉茱萸湯が主に奏功した1症例

高口眞一郎\*1 磯島 正\*2 加納良男\*1 小田美幸\*1

**要旨**: 主に漢方により、全経過23年のうち、後半12年間は、よくコントロールされ得た片頭痛の1症例(31歳女性、前兆なし)を報告する. すなわち、初めの7年間は清上蠲痛湯(煎剤) 8週とMigristene (20mg) 3錠/日を2週用いた. 後の16年間は、主に呉茱萸湯((TJ-31))を用い、補助的に当帰四逆加呉茱萸生姜湯((TJ-38))とCleamine A $1\sim2$ 錠/日を投与した. 4年後の平成2年頃からは、比較的よくコントロールできたと考えられる.

索引用語:呉茱萸湯、濁飲、嘔吐、片頭痛、インドール環

## PAIN AND KAMPO MEDICINE Vol. 13 (2003)

Effect of Kampo on Migraine - A Case of Gosyuyu-to Administration Shinichiro Takaguchi\*<sup>1</sup>, Tadashi Isoshima\*<sup>2</sup>, Yoshio Kano\*<sup>1</sup>, Miyuki Oda\*<sup>1</sup>

**Abstract**: We report on a 31-year-old woman of migraine without omen, who was treated with Kampo medicines et al.

For the first 7 years, Seijyokentsuto (decoction) and Migristene were used for the patient. For the latter 16 years, mainly TJ-31, supplementally TJ-38 and Cleamine A were administered. Her migraine has been well controlled for the last 12 years.

Key words: Goshayu-to, Dakuin, Vomitting, Migraine, Indol Ring

<sup>\*1</sup> Kibi International University, Science of Health

Offprint requests to: Shinichiro Takaguchi, Science of Health, Kibi International University.

<sup>\*2</sup> Isoshima Clinic