頸椎症性神経根症に対する牛車腎気丸の臨床応用

小竹俊郎* 山川知之*

要旨:頸椎症性神経根症で、上肢痛やしびれ等のみの症状を有する症例で、薬物療法、神経ブロック、及び、理学療法に抵抗した症例に、牛車腎気丸(TJ-107)を投与し、その臨床成績を検討した。日本整形外科学会腰痛治療成績判定基準、疼痛、しびれの項目の改善がみられた。保存療法に抵抗した頸椎症性神経根症のなかに、牛車腎気丸が有効と考えられた症例があった。

索引用語:牛車腎気丸、頸椎症性神経根症、漢方治療、頸椎症

PAIN AND KAMPO MEDICINE Vol. 13 (2003)

The effect of Gosha-jinki-gan on a patient with cervical spondylotic radiculopaty

Toshiro Kotake *Tomoyuki Yamakawa *

Abstract: We evaluated the clinical results of Gosha-jinki-gan administered to a patient with cervical spondylotic radiculopaty. The mean dosage of Gosha-jinki-gan was 0.75g/day.

We used the Visual Analogue Scale (VAS) for the assessment of cervical spondylotic radiculopaty (pain, shibire). VAS of pain and shibire improved after administration. The JOA score gained 1 from the first physical examination. The efficacy rates of pain and shibire were improved up to 36% and 57% respectively. Administration of Gosha-jinkigan was considered to be an effective way to control cervical spondylotic radiculopaty.

Key words: Gosha-jinki-gan, cervical spondylotic radiculopaty, Kampo therapy, cervical spondylosis

Offprint requests to: Toshiro Kotake, Department of Orthopaedic Surgery, Mitsubishi Kyoto Hospital. 1, Katsuragosho, Nishigyou-ku, Kyoto-City, Kyoto, 615-8087. Japan

^{*} Department of Orthopaedic Surgery, Mitsubishi Kyoto Hospital