## 症例報告

## 前立腺癌放射線治療後の肛門部痛・陰茎痛に 漢方的治療が奏効した一症例

## 大木 浩\*

要旨: 肛門部痛は治療に難渋することが多い疼痛である. 今回, 前立腺癌放射線治療後に発症した肛門部痛, 陰茎痛に対してオピオイド, 神経ブロック療法の効果が十分でなく, 乙字湯 (TJ-3), 竜胆瀉肝湯 (TJ-76), ブシ末 (TJ-3023) の併用が有効だった症例を経験したので報告する.

索引用語:肛門部痛,陰茎痛,瘀血,乙字湯,竜胆瀉肝湯,修治附子末

## PAIN AND KAMPO MEDICINE Vol.20 (2010)

A combination of otsujito, ryutanshakanto, and heat processed bushi powder successfully treated a patient with anal and penile pain caused by radiotherapy.

Hiroshi Oki\*

**Abstract**: A 73-year-old man had severe anal and penile pain caused by radiotherapy for prostatic cancer. A combination of otsujito (TJ-3), ryutanshakanto (TJ-76), and heat processed bushi powder (TJ-3023) successfully controlled the pain which was not reduced by the treatment with opioids and/or neural blockade.

**Key words**: anal pain, penile pain, oketsu, otsujito, ryutanshakanto, heat processed bushi powder

<sup>\*</sup> Department of Anesthesiology and Critical Care Medicine, Yokohama City University Graduate School of Medicine, Japan

Offprint requests to: Hiroshi Oki, Department of Anesthesiology and Critical Care Medicine, Yokohama City University Graduate School of Medicine.

<sup>3-9</sup>Fukuura, Kanazawa-ku, Yokohama, 236-0004, Japan.