短報

妊婦の原因不明の疼痛・しびれ感に対し, 当帰芍薬散が有効であった1症例 一妊娠と当帰芍薬散についての考察—

佐藤泰昌*^{1,*2} 寺澤恵子*¹ 三和紀子*¹ 小野木京子*¹ 牧野 弘*¹ 田上慶子*¹ 横山康宏*¹ 山田新尚*¹

要旨:妊娠中の疼痛疾患は、NSAIDsが使用できないため、対処が難しい。原因不明の疼痛を訴える妊婦に対し、当帰芍薬散が著効した症例を経験した。症例は、27歳妊婦、初診時は、妊娠19週で、全身の痛みとしびれ、脱力が認められ、立ち上がるのも困難であった。当帰芍薬散7.5g/日と、夜寝る前に芍薬甘草湯5.0gを痛い時に頓服としたところ、6週間後には、症状は、全て消失し、以後、当帰芍薬散のみを内服継続した結果、正期産で正常経膣分娩となった。本症例の症状改善の理由を敢えてあげるとすれば、当帰芍薬散により、神経圧迫部位などの浮腫や血流障害が改善したことが考えられる。妊娠中は、水毒や瘀血・血虚に陥りやすいため、それを改善する当帰芍薬散は、妊婦に対し、最適な漢方薬だと考える。妊娠中の痛みに遭遇した場合は、まず、当帰芍薬散を第一選択薬として投与してみることも可能だと思われた。

索引用語:原因不明の疼痛,妊娠,当帰芍薬散

PAIN AND KAMPO MEDICINE Vol.21 (2011)

A case of pregnant woman with cryptogenic pain and dysesthesia treated with tokishakuyakusan

Yasumasa Sato *1.2, Keiko Terazawa *1, Noriko Miwa *1, Kyoko Onogi *1, Hiroshi Makino *1, Keiko Tagami *1, Yasuhiro Yokoyama *1 and Yoshitaka Yamada *1

Abstract: Pregnant women with pain is very difficult to be treated because NSAIDs is prohibitory drags. The patient was a 27-year-old pregnant woman suffering from general pain, dysesthesia and paralysis. By the administration of both tokishakuyakusan and shakuyakukanzoto for 6 weeks, all symptoms were disappeared. The patient kept taking tokishakuyakusan and successfully gave normal vaginal birth in normal term. The oral tokishakuyakusan should improve the swelling (disorders of the body's fluid metabolism) and blood flow obstruction (Oketsu: blood stagnation) at suppressed part of nerve. It was suggested that the treatment with tokishakuyakusan should be effective for the pregnant women with pain.

Key words: cryptogenic pain, pregnancy, tokishakuyakusan

^{* 1} Department of Obstetrics and Gynecology, Gifu Prefectural General Medical Center *Offprint requests to*: Yasumasa Sato, Department of Obstetrics and Gynecology, Gifu Prefectural General Medical Center. 4-6-1, Noishiki, Gifu City, Gifu 500-8717, Japan

^{* &}lt;sup>2</sup> Kampo clinic, Gifu Prefectural General Medical Center